DIAMONDSFACTORY

How to measure your Ring Size

Confirm Printer Settings

This guide is only accurate if printed properly, follow these instructions to set up your printer correctly.



- 1. Print only on A4 paper, and access printing settings by pressing CTRL + P (Command + P on Mac) and making sure that your page scaling is set to 100%, DO NOT print with fit to screen option, it will not print accurately.
- 2. Take a ruler and measure the left bar, it must be exactly 3cm.



How to Meausre Current Ring Size

- 1. Find the ring you want to measure and place it on one of the circles below.
- 2. Match the dotted circle to the inside of the ring, making it fit perfectly in line.
- 3. Ensure that the dotted line matches the inside of the ring, there should be no gap between the dotted line and the inside of the ring at any point.



D: 14mm C: 44.1mm



D: 14.5mm C: 45.4mm



D: 14.9mm C: 46.8mm



D: 15.3mm C: 47.9mm



D: 15.6mm C: 49mm



D: 16mm C: 50.3mm

L

D: 16.4mm C: 51.6mm



D: 16.8mm C: 52.9mm



D: 17.2mm C: 54mm



D: 17.6mm C: 55.2mm Р

D: 18mm C: 56.5mm Q

D: 18.4mm C: 57.8mm

R

D: 18.8mm C: 59mm S

D: 19.2mm C: 60.2mm T

D: 19.6mm C: 61.4mm U

D: 20mm C: 62.8mm V

D: 20.4mm C: 64mm W

D: 20.8mm C: 65.2mm

 $\left(\mathbf{x}\right)$

D: 21.1mm C: 66.4mm Y

D: 21.6mm C: 67.7mm Z

D: 21.9mm C: 68.9mm **Z**+1

D: 22.3mm C: 70mm

DIAMONDSFACTORY

International Ring Size Chart

| British / Irish Australian Size | European Size | United States / Canada | Diameter (mm) | Circumference (mm) | Diameter (inches) | Circumference (inches) |
|------------------------------------|---------------|---------------------------|------------------|-----------------------|----------------------|---------------------------|
| F | 44.00 | 3.00 | 14.0 | 44.1 | 0.55 | 1.72 |
| F1/2 | 45.00 | 3.25 | 14.3 | 44.9 | 0.56 | 1.75 |
| G | 45.50 | 3.50 | 14.5 | 45.4 | 0.56 | 1.77 |
| G1/2 | 46.00 | 3.75 | 14.6 | 46 | 0.57 | 1.79 |
| н | 46.50 | 4.00 | 14.9 | 46.8 | 0.58 | 1.83 |
| H1/2 | 47.00 | 4.25 | 15.1 | 47.3 | 0.59 | 1.84 |
| I | 48.00 | 4.50 | 15.3 | 47.9 | 0.59 | 1.87 |
| l1/2 | 48.50 | - | 15.4 | 48.5 | 0.60 | 1.89 |
| J | 49.00 | 4.75 | 15.6 | 49 | 0.61 | 1.91 |
| J1/2 | 49.50 | 5.00 | 15.8 | 49.7 | 0.62 | 1.94 |
| К | 50.00 | 5.25 | 16.0 | 50.3 | 0.62 | 1.96 |
| K1/2 | 51.00 | 5.50 | 16.2 | 51 | 0.63 | 1.99 |
| L | 51.50 | 5.75 | 16.4 | 51.6 | 0.64 | 2.01 |
| L1/2 | 52.00 | 6.00 | 16.6 | 52.2 | 0.65 | 2.04 |
| М | 53.00 | 6.25 | 16.8 | 52.9 | 0.66 | 2.06 |
| M1/2 | 53.50 | 6.50 | 17.0 | 53.4 | 0.66 | 2.08 |
| N | 54.00 | 6.75 | 17.2 | 54 | 0.67 | 2.11 |
| N1/2 | 54.50 | 7.00 | 17.4 | 54.7 | 0.68 | 2.13 |
| 0 | 55.00 | 7.25 | 17.6 | 55.2 | 0.69 | 2.15 |
| 01/2 | 56.00 | 7.50 | 17.8 | 55.9 | 0.69 | 2.18 |
| Р | 56.50 | 7.75 | 18.0 | 56.5 | 0.70 | 2.20 |
| P1/2 | 57.00 | 8.00 | 18.2 | 57.1 | 0.71 | 2.23 |
| Q | 58.00 | 8.25 | 18.4 | 57.8 | 0.72 | 2.25 |
| Q1/2 | 58.50 | 8.50 | 18.6 | 58.3 | 0.72 | 2.27 |
| R | 59.00 | 8.75 | 18.8 | 59 | 0.73 | 2.30 |
| R1/2 | 59.50 | 9.00 | 19.0 | 59.6 | 0.74 | 2.32 |
| S | 60.00 | 9.25 | 19.2 | 60.2 | 0.75 | 2.35 |
| S1/2 | 61.00 | 9.50 | 19.4 | 60.9 | 0.76 | 2.38 |
| Т | 61.50 | 9.75 | 19.6 | 61.4 | 0.76 | 2.39 |
| T1/2 | 62.00 | 10.00 | 19.8 | 62.1 | 0.77 | 2.42 |
| U | 63.00 | 10.25 | 20.0 | 62.8 | 0.78 | 2.45 |
| U1/2 | 63.50 | 10.50 | 20.2 | 63.3 | 0.79 | 2.47 |
| V | 64.00 | 10.75 | 20.4 | 64 | 0.79 | 2.50 |
| V1/2 | 64.50 | 11.00 | 20.6 | 64.7 | 0.80 | 2.52 |
| W | 65.00 | 11.25 | 20.8 | 65.2 | 0.81 | 2.54 |
| W1/2 | 66.00 | 11.50 | 21.0 | 65.9 | 0.82 | 2.57 |
| X | 66.50 | 11.75 | 21.1 | 66.4 | 0.82 | 2.59 |
| X1/2 | 67.00 | 12.00 | 21.3 | 67 | 0.83 | 2.61 |
| Y | 67.50 | 12.25 | 21.6 | 67.7 | 0.84 | 2.64 |
| Y1/2 | 68.00 | 12.50 | 21.8 | 68.3 | 0.85 | 2.66 |
| Z | 69.00 | 12.75 | 21.9 | 68.9 | 0.86 | 2.69 |
| Z1/2 | 69.50 | 13.00 | 22.1 | 69.5 | 0.86 | 2.71 |
| Z+1 | 70.00 | | 22.3 | 70 | 0.87 | 2.73 |

DIAMONDSFACTORY

Ring Size Guide

Planning a secret proposal takes a lot of patience and skill. Finding out your partner's ringsize s about using a lot of different tools and techniques in order to make sure it's ready for the special day. Don't worry; sizing your partner's ring is something you don't have to do alone as there's plenty of assistance along the way.

Option One: Measuring in Secret

If you are planning a surprise proposal, then measuring the ring without your partner knowing is both fun and challenging. If they already own any rings, then all you need to do is quickly borrow a ring while they're distracted and using a pencil and paper, trace one circle on the inside (diameter) of the ring and another circle on the outside (circumference) of the ring. Do it a few times if time allows (and try with other rings) to double check that your measurements are correct.

Option Two: Ask for Help From Others

Asking your partner's parents, or their best friends is a great starting point/ get their friends and family to casually try on some inexpensive rings in order to get a rough idea of what the ring size might be. Combining this approach with a measuring table means you'll have a much better time of getting the ring size correct. You can come to our stores to talk about finding the right ring size as well as browse our samples in order to pick the ring.